



# FAB4 Series

# FULLY AUTOMATIC ROTARY BLISTER SEALING MACHINES



FAB4-1216 shown with optional casters and light tower



FAB4-1012 shown with optional casters

#### **EXPERIENCE THE STARVIEW ADVANTAGE:**

- © Compact size and automatic card and blister feeding with finished package unloading make this series ideal for single operator work-cell operation.
- ANSI Class 4 machine safety for operator protection.
- Right-hand or left-hand unloader versions available to match production work flow.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Electrically driven automatic blister feeder, card feeder & finished package unloader greatly reduce machine air consumption.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- lndustry leading design, construction, features and customer support.

## **DESCRIPTION:**

Starview's **FAB4 Series** fully automated rotary type blister sealing machines are ideal for high volume or JIT production. Given the proper conditions these machines are capable of up to 22 cycles per minute in production. The **FAB4 Series** automated rotary blister sealing machines are built with the capability to feed blister(s), blister card(s) and discharge finished packages when proper tooling is installed. These machines may be used for conventional carded blisters, full face blisters and half-clamshell styles. The four-station models have 10" x 12" and 12" x 16" sealing areas.

For machines capable of higher production rates and advanced automation features please consider Starview's FAB6 & 8 Series, BSC Series Carousel & CBS Series Inline machines.



### **SPECIFICATIONS:**

	FAB4-1012	FAB4-1216
Nominal sealing area:	10" x 12"	12" x 16"
Open loading stations:	1	1
Blister feeder:	Standard	Standard
Card feeder(s):	Standard	Standard
Finished package unloader:	Standard	Standard
Maximum blister depth:	3.25"	3.25"
Average cycle speed:	1 – 22 cpm	1 – 20 cpm
Electrical:	220 Volts / 1 PH / 25 Amps	220 Volts / 3 PH / 25 Amps

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



view a video about these products on







#### **Leading the industry** With innovative packaging machine designs for:

Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming Customized Packaging Equipment · Systems with Automation & Integration

Copyright 2017 Starview Packaging Machinery, Inc.

1840 St. Regis Blvd. Dorval, Quebec H9P 1H6 Tel: 514-920-0100 Fax: 514-920-0092

Toll Free: 888-278-5555 www.starview.net sales@starview.net

