



SDCSERIES

# AUTOMATIC SLITTING-DIE CUTTING MACHINES



**Standard SDC Slitter-Die Cutter** 

Starview Packaging Machinery, Inc. Toll free: 1-888-278-5555 / www.starview.net

## **EXPERIENCE THE STARVIEW ADVANTAGE:**

- W Two sizes available to handle 18" through 30" wide skin boards.
- A single machine able to cut, slit or perforate with products facing up on skin boards.
- Cross-cut is programmable and slitting wheels are moveable for altering cutting pattern without having to make new cutting dies.
- linear skin board travel facilitates production work flow.
- Small footprint to conserve floor space.
- Industry leading design, construction, features and customer support.

### **DESCRIPTION:**

**Starview's SDC Series** combination slitting and die cutting machines are a cost effective way to trim skin packaged products. These machines eliminate the use of individual steel rule dies for each different package configuration. The SDC Series features an intermittent motion in-feed conveyor to transfer skin boards to the die cutting and slitting area. Circular cutters running against a hardened steel roller are used to slit parallel to the movement of the skin board. A pneumatic press activates the cross cutting perpendicular to the movement of the skin board. The interval at which this cut is made is programmable from the touch screen operator interface panel.

**Starview's SDC Series** machines utilize photocells and clear polycarbonate guards for operator safety. To prevent damage to the cross cutting knife, the SDC Series machines also utilize photocells to detect products that may be in the cutting area.

For standard die cutting operations using conventional steel rule dies Starview's RP Series Roller Die Cutters should be considered.



## **SPECIFICATIONS:**

	SDC-24	SDC-30
Maximum skin card width:	24"	30"
Maximum skin card length:	40"	40"
Maximum product height:	5.0"	5.0"
Slitting:	(5) single-cut standard	(5) single-cut standard
ross cut style:	10,000 lbs.	10,000 lbs.
lang hole punching:	Available	Available
Average cycle speed:	1 – 4 cpm	1 – 4 cpm
Electrical:	208-240 Volts / 3 PH / 10 Amps	208-240 Volts / 3 PH / 10 Amps

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



view a video about these products on







#### **Leading the industry** With innovative packaging machine designs for:

Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming

Customized Packaging Equipment · Systems with Automation & Integration

Copyright 2017 Starview Packaging Machinery, Inc.

1840 St. Regis Blvd. Dorval, Quebec H9P 1H6 Tel: 514-920-0100 Fax: 514-920-0092

Toll Free: 888-278-5555 www.starview.net sales@starview.net



MEMBER